

# **TEXAS REALTORS®** **SELLER'S DISCLOSURE NOTICE**

©Texas Association of REALTORS®, Inc. 2023

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. **This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.**

CONCERNING THE PROPERTY AT 2405 Byfield Drive, Cedar Park, Texas 78613

THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER AGENT.

Seller  is  is not occupying the Property. If unoccupied (by Seller), how long since Seller has occupied the Property?  3 Months (approximate date) or  never occupied the Property

**Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).)**


*This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.*

| Item                       | Y | N | U |
|----------------------------|---|---|---|
| Cable TV Wiring            | ✓ |   |   |
| Carbon Monoxide Det.       | ✓ |   |   |
| Ceiling Fans               | ✓ |   |   |
| Cooktop                    | ✓ |   |   |
| Dishwasher                 | ✓ |   |   |
| Disposal                   | ✓ |   |   |
| Emergency Escape Ladder(s) |   |   | ✓ |
| Exhaust Fans               | ✓ |   |   |
| Fences                     | ✓ |   |   |
| Fire Detection Equip.      | ✓ |   |   |
| French Drain               |   | ✓ |   |
| Gas Fixtures               |   | ✓ |   |
| Liquid Propane Gas:        |   | ✓ |   |
| -LP Community (Captive)    |   | ✓ |   |
| -LP on Property            |   | ✓ |   |

| Item                               | Y | N | U |
|------------------------------------|---|---|---|
| Natural Gas Lines                  |   | ✓ |   |
| Fuel Gas Piping:                   |   | ✓ |   |
| -Black Iron Pipe                   |   |   | ✓ |
| -Copper                            | ✓ |   |   |
| -Corrugated Stainless Steel Tubing |   |   | ✓ |
| Hot Tub                            |   | ✓ |   |
| Intercom System                    |   | ✓ |   |
| Microwave                          | ✓ |   |   |
| Outdoor Grill                      |   | ✓ |   |
| Patio/Decking                      | ✓ |   |   |
| Plumbing System                    | ✓ |   |   |
| Pool                               |   | ✓ |   |
| Pool Equipment                     |   | ✓ |   |
| Pool Maint. Accessories            |   | ✓ |   |
| Pool Heater                        |   | ✓ |   |

| Item   | Y | N | U |
|--|---|---|---|
| Pump: <input type="checkbox"/> sump <input type="checkbox"/> grinder |   |   | ✓ |
| Rain Gutters   |   | ✓ |   |
| Range/Stove  | ✓ |   |   |
| Roof/Attic Vents   | ✓ |   |   |
| Sauna  |   | ✓ |   |
| Smoke Detector   | ✓ |   |   |
| Smoke Detector – Hearing Impaired                                    |   |   | ✓ |
| Spa  |   | ✓ |   |
| Trash Compactor  |   | ✓ |   |
| TV Antenna   | ✓ |   |   |
| Washer/Dryer Hookup  | ✓ |   |   |
| Window Screens   | ✓ |   |   |
| Public Sewer System  | ✓ |   |   |

| Item                      | Y | N | U | Additional Information  |
|---------------------------|---|---|---|---|
| Central A/C               | ✓ |   |   | <input checked="" type="checkbox"/> electric <input type="checkbox"/> gas number of units: 1                                  |
| Evaporative Coolers       | ✓ |   |   | number of units:1   |
| Wall/Window AC Units      |   | ✓ |   | number of units:  |
| Attic Fan(s)              |   | ✓ |   | if yes, describe:   |
| Central Heat              | ✓ |   |   | <input checked="" type="checkbox"/> electric <input type="checkbox"/> gas number of units: 1                                  |
| Other Heat                |   | ✓ |   | if yes describe:  |
| Oven                      | ✓ |   |   | number of ovens: 1 <input checked="" type="checkbox"/> electric <input type="checkbox"/> gas <input type="checkbox"/> other:  |
| Fireplace & Chimney       |   | ✓ |   | <input type="checkbox"/> wood <input type="checkbox"/> gas logs <input type="checkbox"/> mock <input type="checkbox"/> other: |
| Carport                   |   | ✓ |   | <input type="checkbox"/> attached <input type="checkbox"/> not attached   |
| Garage                    | ✓ |   |   | <input checked="" type="checkbox"/> attached <input type="checkbox"/> not attached  |
| Garage Door Openers       | ✓ |   |   | number of units: 1 number of remotes: 1   |
| Satellite Dish & Controls |   | ✓ |   | <input type="checkbox"/> owned <input type="checkbox"/> leased from   |
| Security System           |   |   | ✓ | <input type="checkbox"/> owned <input type="checkbox"/> leased from   |
| Solar Panels              |   | ✓ |   | <input type="checkbox"/> owned <input type="checkbox"/> leased from   |
| Water Heater              | ✓ |   |   | <input checked="" type="checkbox"/> electric <input type="checkbox"/> gas <input type="checkbox"/> other: number of units: 1  |
| Water Softener            |   | ✓ |   | <input type="checkbox"/> owned <input type="checkbox"/> leased from   |



|                                 |                                     |                                     |  |
|---------------------------------|-------------------------------------|-------------------------------------|--|
| Other Leased Item(s)            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | if yes, describe:  |
| Underground Lawn Sprinkler      | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> automatic <input checked="" type="checkbox"/> manual areas covered: |
| Septic / On-Site Sewer Facility | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | if yes, attach Information About On-Site Sewer Facility (TXR-1407)                           |

Water supply provided by: city well MUD co-op unknown other: \_\_\_\_\_

Was the Property built before 1978? yes no unknown

(If yes, complete, sign, and attach TXR-1906 concerning lead-based paint hazards).

Roof Type: asphalt shingles Age: 8 (approximate)

Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof covering)? yes no unknown

Are you (Seller) aware of any of the items listed in this Section 1 that are not in working condition, that have defects, or are need of repair? yes no If yes, describe (attach additional sheets if necessary):

**Section 2. Are you (Seller) aware of any defects or malfunctions in any of the following? (Mark Yes (Y) if you are aware and No (N) if you are not aware.)**

| Item               | Y                                   | N                                   |
|--------------------|-------------------------------------|-------------------------------------|
| Basement           | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Ceilings           | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Doors              | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| Driveways          | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Electrical Systems | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Exterior Walls     | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

| Item                 | Y                        | N                                   |
|----------------------|--------------------------|-------------------------------------|
| Floors               | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Foundation / Slab(s) | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Interior Walls       | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Lighting Fixtures    | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Plumbing Systems     | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Roof                 | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

| Item                        | Y                                   | N                                   |
|-----------------------------|-------------------------------------|-------------------------------------|
| Sidewalks                   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Walls / Fences              | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| Windows                     | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| Other Structural Components | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
|                             | <input type="checkbox"/>            | <input type="checkbox"/>            |
|                             | <input type="checkbox"/>            | <input type="checkbox"/>            |

If the answer to any of the items in Section 2 is yes, explain (attach additional sheets if necessary):

(Doors) Back door, light water damage on edges of door.  
 (Walls/Fences) Back fence had a broken board patched up.  
 (Windows) The home has original windows, some are hard to open. Last owner said there was light water damage on the upstairs living room window sill, but we had it replaced and there was no damage underneath, just light surface damage that has been mitigated.

**Section 3. Are you (Seller) aware of any of the following conditions? (Mark Yes (Y) if you are aware and No (N) if you are not aware.)**

| Condition  | Y                        | N                                   |
|--|--------------------------|-------------------------------------|
| Aluminum Wiring  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Asbestos Components  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Diseased Trees: <input type="checkbox"/> oak wilt <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Endangered Species/Habitat on Property                                     | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Fault Lines  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Hazardous or Toxic Waste   | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Improper Drainage  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Intermittent or Weather Springs  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Landfill   | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Lead-Based Paint or Lead-Based Pt. Hazards                                 | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Encroachments onto the Property  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Improvements encroaching on others' property                               | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Located in Historic District   | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Historic Property Designation  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Previous Foundation Repairs  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Previous Roof Repairs  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

| Condition   | Y                                   | N                                   |
|---|-------------------------------------|-------------------------------------|
| Radon Gas   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Settling  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Soil Movement   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Subsurface Structure or Pits  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Underground Storage Tanks   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Unplatted Easements   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Unrecorded Easements  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Urea-formaldehyde Insulation  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Water Damage Not Due to a Flood Event                                 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Wetlands on Property  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Wood Rot  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| Active infestation of termites or other wood destroying insects (WDI) | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Previous treatment for termites or WDI                                | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Previous termite or WDI damage repaired                               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Previous Fires  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Termite or WDI damage needing repair                                  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |



|   |                          |                                     |  |                          |                                     |
|---|--------------------------|-------------------------------------|--|--------------------------|-------------------------------------|
| Previous Other Structural Repairs                           | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Single Blockable Main Drain in Pool/Hot Tub/Spa* | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Previous Use of Premises for Manufacture of Methamphetamine | <input type="checkbox"/> | <input checked="" type="checkbox"/> |  |                          |                                     |

If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary):

**(Wood Rot) Light water damage on the back door.**

\*A single blockable main drain may cause a suction entrapment hazard for an individual.

**Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice?**  yes  no If yes, explain (attach additional sheets if necessary):

**Section 5. Are you (Seller) aware of any of the following conditions?\*** (Mark Yes (Y) if you are aware and check wholly or partly as applicable. Mark No (N) if you are not aware.)

**Y N**

- Present flood insurance coverage.
- Previous flooding due to a failure or breach of a reservoir or a controlled or emergency release of water from a reservoir.
- Previous flooding due to a natural flood event.
- Previous water penetration into a structure on the Property due to a natural flood.
- Located  wholly  partly in a 100-year floodplain (Special Flood Hazard Area-Zone A, V, A99, AE, AO, AH, VE, or AR).
- Located  wholly  partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded)).
- Located  wholly  partly in a floodway.
- Located  wholly  partly in a flood pool.
- Located  wholly  partly in a reservoir.

If the answer to any of the above is yes, explain (attach additional sheets as necessary):

**\*If Buyer is concerned about these matters, Buyer may consult Information About Flood Hazards (TXR 1414).**

For purposes of this notice:

"100-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, which is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.

"500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chance of flooding, which is considered to be a moderate risk of flooding.


"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.

"Flood insurance rate map" means the most recent flood hazard map published by the Federal Emergency Management Agency under the National Flood Insurance Act of 1968 (42 U.S.C. Section 4001 et seq.).

"Floodway" means an area that is identified on the flood insurance rate map as a regulatory floodway, which includes the channel of a river or other watercourse and the adjacent land areas that must be reserved for the discharge of a base flood, also referred to as a 100-year flood, without cumulatively increasing the water surface elevation more than a designated height.

"Reservoir" means a water impoundment project operated by the United States Army Corps of Engineers that is intended to retain water or delay the runoff of water in a designated surface area of land.

**Section 6. Have you (Seller) ever filed a claim for flood damage to the Property with any insurance provider, including the National Flood Insurance Program (NFIP)?\*** yes no If yes, explain (attach



additional sheets as necessary):

[Empty box for additional sheets]

\*Homes in high risk flood zones with mortgages from federally regulated or insured lenders are required to have flood insurance. Even when not required, the Federal Emergency Management Agency (FEMA) encourages homeowners in high risk, moderate risk, and low risk flood zones to purchase flood insurance that covers the structure(s) and the personal property within the structure(s).

**Section 7. Have you (Seller) ever received assistance from FEMA or the U.S. Small Business Administration (SBA) for flood damage to the Property?** yes no If yes, explain (attach

additional sheets as necessary):

[Empty box for additional sheets]

**Section 8. Are you (Seller) aware of any of the following? (Mark Yes (Y) if you are aware. Mark No (N) if you are not aware.)**

**Y N**

Room additions, structural modifications, or other alterations or repairs made without necessary permits, with unresolved permits, or not in compliance with building codes in effect at the time.

Homeowners' associations or maintenance fees or assessments. If yes, complete the following:

Name of association: Coventry Crossing

Manager's name: James Duncan Phone: (512)806-0980

**Semi-**

Fees or assessments are: \$ \$100 per annually and are: mandatory voluntary

Any unpaid fees or assessment for the Property? yes (\$                      ) no

If the Property is in more than one association, provide information about the other associations below or attach information to this notice.

Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following:

Any optional user fees for common facilities charged? yes no If yes, describe:

[Empty box for describing optional user fees]

Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property

Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)

Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.

Any condition on the Property which materially affects the health or safety of an individual.

Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold.

If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).

Any rainwater harvesting system located on the Property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.

The Property is located in a propane gas system service area owned by a propane distribution system retailer.

Any portion of the Property that is located in a groundwater conservation district or a subsidence district.

If the answer to any of the items in Section 8 is yes, explain (attach additional sheets if necessary):

(Home Owner Association) \$200/year  
(Common Area) Park and playground in back of neighborhood



Prepared with Sellers Shield

**Section 9. Within the last 4 years, have you (Seller) received any written inspection reports from persons who regularly provide inspections and who are either licensed as inspectors or otherwise permitted by law to perform inspections?** yes no If yes, attach copies and complete the following:

| Inspection Date | Type | Name of Inspector | No. of Pages |
|-----------------|------|-------------------|--------------|
|                 |      |                   |              |
|                 |      |                   |              |
|                 |      |                   |              |

*Note: A buyer should not rely on the above-cited reports as a reflection of the current condition of the Property. A buyer should obtain inspections from inspectors chosen by the buyer.*

**Section 10. Check any tax exemption(s) which you (Seller) currently claim for the Property:**

- Homestead  Senior Citizen  Disabled
- Wildlife Management  Agricultural  Disabled Veteran
- Other: \_\_\_\_\_  Unknown

**Section 11. Have you (Seller) ever filed a claim for damage, other than flood damage, to the Property with any insurance provider?** yes no

**Section 12. Have you (Seller) ever received proceeds for a claim for damage to the Property (for example, an insurance claim or a settlement or award in a legal proceeding) and not used the proceeds to make the repairs for which the claim was made?** yes no If yes, explain:

**Section 13. Does the Property have working smoke detectors installed in accordance with the smoke detector requirements of Chapter 766 of the Health and Safety Code?\*** unknown no yes. If no or unknown, explain. (Attach additional sheets if necessary):

*\*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.*

*A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.*

